AUTHOR INDEX

Adam, M.J. 273 André, C. 15 Angyal, S.J. 143 Augé, J. 211

Bach, R. 15 Baker, D.C. 301 Barnes, C.L. 5 BeMiller, J.N. 81

Chapelle, S. 161 Conrad, H. 115

Dabrowski, J. 221 Dabrowski, U. 221 Dell, A. 95 Deryabin, V.V. 103 Drouillat, B. 211

Edebrink, P. 237

Feather, M.S. 5 Fuhrhop, J.-H. 15

Gamian, A. 221 Gawronski, M. 115 Gizaw, Y. 81 Glinsky, G.V. 5 Gorin, P.A.J. 309 Gouéth, P. 171 Gray, J.S.S. 147, 153

Hansen, S.H. 37 Harata, K. 75 Heinze, T. 315 Helin, J. 191 Holme, T. 237 Hull, S.R. 147

Iacomini, M. 309 Ikeshita, S. C1 Jain, R.K. 279 Jansson, P.-E. 237 Jindrich, J. 75 Johnson, S.C. 301 Joseph, B. 321

Katzenellenbogen, E. 221 Keane, A. 191 Kim, D. 293 Klaffke, W. 285 Klemm, D. 315 Knirel, Y.A. 103 Koerner, T.A.W. 147, 153 Kopp, F. 115 Koschel, A. 115 Kuzuhara, H. 263

Lahaye, M. 53 Lamba, D. 65 Larnkjaer, A. 37 Likhosherstov, L.M. 103 Lindberg, B. 75 Lubineau, A. 211 Luger, P. 15

Maaheimo, H. 191 Mackenzie, G. 171 Mackie, W. 65 Matsui, K. 263 Matta, K.L. 279 McCarter, J.D. 273 Metro, F. 53 Monschau, N. 115 Montgomery, R. 147, 153 Mossine, V.V. 5

Nakahara, Y. Cl Noble, J.M. 229

Ochs, S. 87 Odier, L. 143 Ogawa, T. C1 Østergaard, P.B. 37

Park, S.-M. 129 Parolis, H. 95 Pitha, J. 75

Quemener, B. 53

Rahman, M. 237 Rahman, M.M. 237 Ramiz, A. 171 Reason, A.J. 95 Renkonen, O. 191 Robyt, J.F. 293 Rollin, P. 321 Romanowska, E. 221 Ronco, G. 171 Röttig, K. 315

Saenger, W. 1 Sahm, H. 115 Sakairi, N. 263 Seffers, P. 75 Seiple, T.F. 301 Senchenkova, S.N. 103 Seppo, A. 191 Severin, T. 87 Shashkov, A.S. 103 Shibaev, V.N. 103 Smalec, B. 269 Springer, T. 115 Stahmann, K.-P. 115 Stanley, S.M.R. 95 Starukhina, L.A. 103 Steiner, T. 1

Tagliaferri, F. 301 Tate, M.E. 143 Teixeira, A.Z.A. 309 Trevitt, C. 229

Verchère, J.-F. 161 Vig, R. 279 Villa, P. 171 Vogt, S. 315 Von Itzstein, M. 269

Widmalm, G. 237 Williamson, M.P. 229 Withers, S.G. 273

Yates, E.A. 65 Yu, L. 293

Zhang, H. 129

SUBJECT INDEX

- 3-Acetamido- and 3-azido-3-deoxy-\ar-D-mannose, synthesis of GDP-, 285
- Acetolytic fission of a single glycosidic bond of fully benzoylated α -, β - and γ -cyclodextrins. A novel approach to the preparation of maltooligosaccharide derivatives regioselectivity modified at their nonreducing ends, 263
- Activation of carboxymethylcellulose with the swelling system N,N-dimethylacetamide-Op-toluenesulfonic acid, a preliminary to sulfation, 315
- N-Acylglycosylamines, a straightforward preparation of as carbohydrate based detergents; improved synthesis of glycosylamines, 211
- Agarose, 53
- Amadori compound, N-(1-deoxy-β-D-fructos-1yl)-glycine, the crystal structure of an, 5
- 2-Amino-2-deoxy-D-glucopyranose 3-O-sulfate, 65
- 2-Amino-2-deoxy-p-glucopyranose 6-O-sulfate, 65
- Amphiphiles: the crystal structures of N-(1-octyl)-D-arabinonamide and N-(1-dodecyl)-D-ribonamide and the supramolecular assembly-forming properties of N-(1-octyl)-D-pentonamide, on the conformational and packing behavior of acyclic-sugar, 15
- O-Antigen oligosaccharides from two strains of Moraxella catarrhalis serotype C, structural studies, 237
- Arthrobacter sp., structure of a new acidic exopolysaccharide (simusan) from, 103

Binding, 229

- Bis(glycosyl) ethers as bolaamphiphile surfactants, synthesis of novel, 171
- Bis-O-(tetraisopropyldisiloxane-1,3-diyl)-chiroinositol, a useful intermediate for the preparation of several novel cyclitols, 11-2,3:4,5-, 301

- Bradyrhizobium japonicum strain USDA61, synthetic studies on lipooligosaccharide Nod Bj-IV (C_{18:1},Fuc,Gro) produced by, Cl
- Capsular polysaccharide of Escherichia coli K57, a partial reductive-cleavage study of the, 95
- Carboxymethylcellulose sulfate of high degree of sulfation, preparation, 315
- Carrageenans, 53
- Cellulose and its model compounds by Mn(III), kinetic studies on the oxidation of, 129
- Cinerean, a β-(1 → 3)(1 → 6)-p-glucan produced by Botrytis cinerea, structural properties of native and sonicated, 115
- Conformational and packing behavior of acyclic-sugar amphiphiles: the crystal structures of N-(1-octyl)-D-arabinonamide and N-(1-odotyl)-D-ribonamide and the supramolecular assembly-forming properties of N-(1-octyl)-D-pentonamide, on the, 15
- Core oligosaccharide, 221
- Crystal structures of cyclodextrins and oligosaccharides, reliability of assigning O-H···O hydrogen bonds to short intermolecular O···O separations, 1
- Crystal structures of N-(1-octyl)-D-arabinonamide and N-(1-dodecyl)-D-ribonamide and the supramolecular assembly-forming properties of N-(1-octyl)-D-pentonamide, on the conformational and packing behavior of acyclic-sugar amphiphiles: the, 15
- Cyclodextrin and oligosaccharide crystal structures, reliability of assigning O-H···O hydrogen bonds to short intermolecular O···O separations, 1
- β-Cyclodextrin, regioselectivity of alkylation ad synthesis of its mono-2-O-methyl, -ethyl, -allyl, and -propyl derivatives, 75
- Cyclodextrins, fully benzoylated α -, β -, and γ -, acetolysis and conversion of the products

into regioselectively modified maltooligosaccharide derivatives, 263

Cyclomaltoheptaose (see \(\beta\)-cyclodextrin), 75

N-(1-Deoxy-β-D-fructos-1-yl)-glycine, the crystal structure of an Amadori compound, 5

2-Deoxy-2-fluoro-2-iodo-D-glucose, synthesis, radiolabelling, and kinetic evaluation of, 273

2-Deoxy-2-fluoro-2-iodo-D-hexoses for medical imaging, synthesis, radiolabelling, and kinetic evaluation, 273

2-Deoxy-2-fluoro-2-iodo-p-mannose, synthesis, radiolabelling, and kinetic evaluation of, 273
2'-Deoxyguanosine, reaction of, with glycose, 87

Dextran, 229

Dextran activation of dextransucrase, mechanism of, 293

Dextransucrase, mechanism of dextran activation of, 293

E. coli K57, a partial reductive-cleavage study of the capsular polysaccharide, 95

Erwinia chrysanthemi, extracellular polysaccharide of, 153

Extracellular polysaccharide of Erwinia chrysanthemi, 153

D-Fructose-glycine, the crystal structure of an Amadori compound, 5

L-Fructose, application of a phase transfer reaction to synthesis of, 81

GDP-3-acetamido-3-deoxy-α-D-mannose and GDP-3-azido-3-deoxy-α-D-mannose, synthesis, 285

Glucose, reaction of 2'-deoxyguanosine with, 87 Glycosylamines, improved synthesis and a straightforward preparation of N-acylglycosylamines as carbohydrate-based detergents, 211

Glycosyltransferase, 191

Hafnia alvei, 221 Heparin, 37, 65

Heparinase of Flavobacterium heparinum, 37

¹H NMR, 37, 191

HPAEC, 191

HPLC, 53

O-H···O Hydrogen bonds, reliability of assignment to short intermolecular O···O separations in cyclodextrin and oligosaccharide crystal structures, 1

In vitro synthesis, 191

Industrial-fermentation byproduct, trehalose as a common, 147

cis-Inositol, a simple synthesis of, 143

Kdo, 221

Kinetic studies of the oxidation of cellulose and its model compounds by Mn(III), 129

Lipooligosaccharides from two strains of Moraxella catarrhalis serotype C, structural studies of the oligosaccharide parts, 237

Lipooligosaccharide Nod Bj-IV (C_{18:1},Fuc,Gro) produced by *Bradyrhizobium japonicum* strain USDA61, synthetic studies on, C1

Lipopolysaccharides, 221

MALDI-MS, 191

Maltooligosaccharide derivatives, regioselectively modified preparation via acetolysis of fully benzoylated α -, β -, and γ -cyclodextrins, 263

Mannose-containing polysaccharides, of lichen mycobionts, chemotypes of, a possible aid in classicification and identification, 309

Mechanism of dextran activation of dextransucrase, 293

Medical imaging, syntheses, radiolabelling, and kinetic evaluation of 2-deoxy-2-fluoro-2iodo-p-hexoses for, 273

Methanolysis, 53

Methyl O-(β-D-galactopyranosyl)-(1 → 3)-O-[D-L-fucopyranosyl-(1 → 4)]-2-acetamido-2-deoxy-6-O-sulfo-β-D-glucopuranoside sodium salt, synthesis of, as a potential ligand for selection molecules, 279

Moraxella (Branhamella) catarrhalis, structural studies of the oligosaccharide parts of serotype C lipopolysaccharides, 237

MS, 53

NMR, 53, 221, 229

Nod Bj-IV (C_{18:1},Fuc,Gro) produced by Bradyrhizobium japonicum strain USDA61, synthetic studies on lipooligosaccharide, C1

Novel cyclitols, 1L-2,3:4,5-bis-O-(tetraisopropyldisiloxane-1,3-diyl)-chiro-inositol, a useful intermediate for the preparation of several,

O-Protected thiohydroxymate-linked pseudodisaccharides, synthesis of, 321

Oxidation of cellulose and its model compounds by Mn(III), kinetic studies on the, 129

Phase transfer reaction, application of a, to the synthesis of L-fructose, 81 Poly N-acetyllactosaminoglycan, 191 Polyphenol, 229 Polysaccharide from Arthobacter sp., structure of simusan a new acidic, 103

Polysaccharide of Erwinia chrysanthemi, extracellular, 153

Polysaccharide produced by *Botrytis cinerea*, structural properties of native and sonicated cinerean, 115

Polysaccharides, mannose-containing, classification and identification, 309

Porcine intestinal heparin, 37

Pseudodisaccharides, synthesis of O-protected thiohydroxymate-linked, 321

Reductive-cleavage study of the capsular polysaccharide of *Escherichia coli* K57, a partial, 95

S-Sialylnucleoside analogue, an improved synthesis of an important, 269

Selectin molecules, synthesis of methyl O-(β-D-galactopyranosyl)-(1 → 3)-O-[D-L-fucopyranosyl-(1 → 4)]-2-acetamido-2-deoxy-6-O-sulfo-β-D-glucopyranoside sodium salt as a potential ligand for, 279

Simusan, a new acidic exopolysaccharide from Arthrobacter sp. structure of, 103

Structural properties of native and sonicated cinerean, a β -(1 \rightarrow 3)(1 \rightarrow 6)-p-glucan produced by *Botrytis cinerea*, 115

Sulfation of carboxymethylcellulose to achieve a high degree of substitution, 315

Surfactants, synthesis of novel bis(glycosyl) ethers as bolaamphiphile surfactants, synthesis of novel. 171

Synthesis of an important S-sialylnucleoside analogue, an improved, 269

Synthesis of novel bis(glycosyl) ethers as bolaamphiphile surfactants, 171

Synthesis of GDP-3-acetamido- and GDP-3azido-3-deoxy-a-p-mannose, 285

Tannin, 229

Trehalose as a common industrial-fermentation byproduct, 147

Tungstate and molybdate complexes of volemitol, a ¹³C and ¹⁸³NMR study, 161

X-ray crystallography, 65